



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

SPECint®2006 = **Not Run**

Compaq 6515B (AMD Turion 64 X2 TL-60)

SPECint\_base2006 = **7.70**

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Jun-2007

Hardware Availability: Jun-2007

Software Availability: Feb-2007



### Hardware

CPU Name: AMD Turion 64 X2 TL-60  
 CPU Characteristics: 2.0 GHz 2x512KB L2  
 CPU MHz: 2000  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip  
 CPU(s) orderable: 1 chip  
 Primary Cache: 64 KB I + 64 KB D on chip per core  
 Secondary Cache: 512 KB I+D on chip per core  
 L3 Cache: None  
 Other Cache: None  
 Memory: 2 GB (2x1GB Qimonda HYS64T128021HDL-3S-B DDR2-667 CL5)  
 Disk Subsystem: Hitachi 100GB 5400rpm SATA HDD  
 Other Hardware: None

### Software

Operating System: Windows Vista32 Business  
 Compiler: Intel C++ Compiler for IA32 version 9.1  
 Build no 20060816  
 Microsoft Visual Studio .Net 2003 (for libraries)  
 Auto Parallel: No  
 File System: NTFS  
 System State: Default  
 Base Pointers: 32-bit  
 Peak Pointers: Not Applicable  
 Other Software: None



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

(Test Sponsor: Intel Corporation)

SPECint2006 =

Not Run

Compaq 6515B (AMD Turion 64 X2 TL-60)

SPECint\_base2006 =

7.70

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Jun-2007

Hardware Availability: Jun-2007

Software Availability: Feb-2007

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	970	10.1	<b><u>970</u></b>	<b><u>10.1</u></b>	970	10.1						
401.bzip2	1476	6.54	1480	6.52	<b><u>1478</u></b>	<b><u>6.53</u></b>						
403.gcc	1321	6.09	1330	6.05	<b><u>1326</u></b>	<b><u>6.07</u></b>						
429.mcf	1147	7.95	<b><u>1147</u></b>	<b><u>7.95</u></b>	1148	7.94						
445.gobmk	<b><u>897</u></b>	<b><u>11.7</u></b>	898	11.7	897	11.7						
456.hammer	<b><u>2899</u></b>	<b><u>3.22</u></b>	2897	3.22	2906	3.21						
458.sjeng	1348	8.98	<b><u>1348</u></b>	<b><u>8.98</u></b>	1347	8.98						
462.libquantum	<b><u>2270</u></b>	<b><u>9.13</u></b>	2268	9.14	2273	9.11						
464.h264ref	1978	11.2	1977	11.2	<b><u>1977</u></b>	<b><u>11.2</u></b>						
471.omnetpp	<b><u>854</u></b>	<b><u>7.32</u></b>	855	7.31	854	7.32						
473.astar	<b><u>1113</u></b>	<b><u>6.31</u></b>	1114	6.30	1113	6.31						
483.xalancbmk	<b><u>798</u></b>	<b><u>8.65</u></b>	797	8.66	798	8.65						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## General Notes

Binaries built on Windows XP Professional w/ SP2  
Vista Power Profile set to High Performance

## Base Compiler Invocation

C benchmarks:  
icl -Qvc7.1 -Qc99  
C++ benchmarks:  
icl -Qvc7.1

## Base Portability Flags

403.gcc: -DSPEC\_CPU\_WIN32  
464.h264ref: -DSPEC\_CPU\_NO\_INTTYPES -DWIN32

## Base Optimization Flags

C benchmarks:  
-arch:SSE2 -Qprec-div- -O3 -Qipo /F512000000 shlw32m.lib  
-link /FORCE:MULTIPLE

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Hewlett-Packard Company**

(Test Sponsor: Intel Corporation)

**SPECint2006 =**

**Not Run**

**Compaq 6515B (AMD Turion 64 X2 TL-60)**

**SPECint\_base2006 =**

**7.70**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Jun-2007

**Hardware Availability:** Jun-2007

**Software Availability:** Feb-2007

## Base Optimization Flags (Continued)

C++ benchmarks:

```
-arch:SSE2 -Qprec-div- -O3 -Qipo -Oi- -Qcxx_features /F512000000
shlw32m.lib -link /FORCE:MULTIPLE
```

## Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic91-ia32-flags.20090714.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic91-ia32-flags.20090714.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.  
Report generated on Tue Jul 22 12:47:57 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 8 August 2007.