



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

**SPECint®2006 = 34.1**

Intel DH61WW motherboard (Intel Pentium G860)

**SPECint\_base2006 = 31.6**

CPU2006 license: 13


Test date: Oct-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Apr-2011



### Hardware

CPU Name: Intel Pentium G860  
 CPU Characteristics:  
 CPU MHz: 3000  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip  
 CPU(s) orderable: 1 chip  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 3 MB I+D on chip per chip  
 Other Cache: None  
 Memory: 2 GB (2 x 1 GB 2Rx4 PC3-10600U-9)  
 Disk Subsystem: 1 TB Seagate SATA, 7200 RPM  
 Other Hardware: None

### Software

Operating System: Windows 7 Ultimate (64-bit)  
 Compiler: C/C++: Version 12.0.3.176 of Intel C++ Studio XE for Windows;  
 Libraries: Version 15.00.30729.01 of Microsoft Visual Studio 2008 Professional SP1  
 Auto Parallel: Yes  
 File System: NTFS  
 System State: Default  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: SmartHeap Library Version 9.01 from <http://www.microquill.com/>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint2006 = 34.1

Intel DH61WW motherboard (Intel Pentium G860)

SPECint\_base2006 = 31.6

CPU2006 license: 13

Test date: Oct-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Apr-2011

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	416	23.5	<b>415</b>	<b>23.6</b>	414	23.6	<b>332</b>	<b>29.5</b>	332	29.5	331	29.5
401.bzip2	545	17.7	<b>538</b>	<b>17.9</b>	535	18.0	519	18.6	522	18.5	<b>520</b>	<b>18.5</b>
403.gcc	<b>360</b>	<b>22.3</b>	360	22.4	360	22.3	343	23.5	338	23.8	<b>338</b>	<b>23.8</b>
429.mcf	<b>241</b>	<b>37.9</b>	240	38.0	242	37.7	241	37.8	240	38.0	<b>240</b>	<b>38.0</b>
445.gobmk	499	21.0	<b>499</b>	<b>21.0</b>	500	21.0	463	22.7	463	22.7	<b>463</b>	<b>22.7</b>
456.hammer	<b>211</b>	<b>44.3</b>	211	44.3	211	44.3	207	45.1	206	45.2	<b>206</b>	<b>45.2</b>
458.sjeng	523	23.1	522	23.2	<b>522</b>	<b>23.2</b>	515	23.5	515	23.5	<b>515</b>	<b>23.5</b>
462.libquantum	<b>57.5</b>	<b>360</b>	57.1	363	57.6	360	<b>57.5</b>	<b>360</b>	57.1	363	57.6	360
464.h264ref	<b>624</b>	<b>35.5</b>	632	35.0	623	35.5	422	52.4	<b>422</b>	<b>52.5</b>	422	52.5
471.omnetpp	321	19.5	320	19.5	<b>321</b>	<b>19.5</b>	<b>299</b>	<b>20.9</b>	299	20.9	298	21.0
473.astar	<b>328</b>	<b>21.4</b>	328	21.4	328	21.4	<b>328</b>	<b>21.4</b>	328	21.4	328	21.4
483.xalancbmk	<b>281</b>	<b>24.5</b>	281	24.6	281	24.5	<b>281</b>	<b>24.5</b>	281	24.6	281	24.5

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Component Notes

Tested systems can be used with Shin-G ATX case, PC Power and Cooling 1200W power supply

## General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU + 8GB memory using Windows 7 Enterprise 64-bit  
OMP\_NUM\_THREADS set to number of processor cores  
KMP\_AFFINITY set to granularity=fine,scatter

## Base Compiler Invocation

C benchmarks:

icl -Qvc9 -Qstd=c99

C++ benchmarks:

icl -Qvc9

## Base Portability Flags

400.perlbench: -DSPEC\_CPU\_P64 -DSPEC\_CPU\_WIN64\_X64  
-DSPEC\_CPU\_NO\_NEED\_VA\_COPY

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint2006 = 34.1

Intel DH61WW motherboard (Intel Pentium G860)

SPECint\_base2006 = 31.6

CPU2006 license: 13

Test date: Oct-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Apr-2011

## Base Portability Flags (Continued)

```

401.bzip2: -DSPEC_CPU_P64
403.gcc: -DSPEC_CPU_P64 -DSPEC_CPU_WIN64
429.mcf: -DSPEC_CPU_P64
445.gobmk: -DSPEC_CPU_P64
456.hmmr: -DSPEC_CPU_P64
458.sjeng: -DSPEC_CPU_P64
462.libquantum: -DSPEC_CPU_P64
464.h264ref: -DSPEC_CPU_P64 -DWIN32 -DSPEC_CPU_NO_INTTYPES
471.omnetpp: -DSPEC_CPU_P64 -DSPEC_CPU_WIN64
473.astar: -DSPEC_CPU_P64
483.xalancbmk: -DSPEC_CPU_P64 -Qoption, cpp, --no_wchar_t_keyword

```

## Base Optimization Flags

C benchmarks:

```

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qparallel
-Qauto-ilp32 /F512000000

```

C++ benchmarks:

```

-QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features
-Qauto-ilp32 /F512000000 shlW64M.lib -link /FORCE:MULTIPLE

```

## Base Other Flags

C benchmarks:

```

403.gcc: -Dalloca=_alloca

```

## Peak Compiler Invocation

C benchmarks:

```

icl -Qvc9 -Qstd=c99

```

C++ benchmarks:

```

icl -Qvc9

```

## Peak Portability Flags

Same as Base Portability Flags



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint2006 = 34.1

Intel DH61WW motherboard (Intel Pentium G860)

SPECint\_base2006 = 31.6

CPU2006 license: 13

Test date: Oct-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Apr-2011

## Peak Optimization Flags

C benchmarks:

400.perlbench: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch  
 -Qauto-ilp32 /F512000000 shlW64M.lib  
 -link /FORCE:MULTIPLE

401.bzip2: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias  
 -Qauto-ilp32 /F512000000

403.gcc: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O3 -Qprec-div- -Qauto-ilp32 /F512000000

429.mcf: -QxSSE4.2 -Qipo -O3 -Qprec-div- -Qopt-prefetch  
 -Qauto-ilp32 /F512000000

445.gobmk: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O2 -Qprec-div- -Qansi-alias -Qauto-ilp32  
 /F512000000

456.hmmer: -QxSSE4.2 -Qipo -O3 -Qprec-div- -Qunroll2 -Qansi-alias  
 -Qauto-ilp32 /F512000000

458.sjeng: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O3 -Qprec-div- -Qunroll4 -Qauto-ilp32 /F512000000

462.libquantum: basepeak = yes

464.h264ref: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O3 -Qprec-div- -Qunroll2 -Qansi-alias  
 -Qauto-ilp32 /F512000000

C++ benchmarks:

471.omnetpp: -QxSSE4.2(pass 2) -Qprof\_gen(pass 1) -Qprof\_use(pass 2)  
 -Qipo -O3 -Qprec-div- -Qansi-alias  
 -Qopt-ra-region-strategy=block -Qauto-ilp32 /F512000000  
 shlW64M.lib -link /FORCE:MULTIPLE

473.astar: basepeak = yes

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

SPECint2006 = 34.1

Intel DH61WW motherboard (Intel Pentium G860)

SPECint\_base2006 = 31.6

CPU2006 license: 13

Test date: Oct-2011

Test sponsor: Intel Corporation

Hardware Availability: Sep-2011

Tested by: Intel Corporation

Software Availability: Apr-2011

## Peak Other Flags (Continued)

403.gcc: -Dalloca=\_alloca

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic12-winx64-revC.20111012.html>

<http://www.spec.org/cpu2006/flags/Intel-Windows-Platform-Settings-revC.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/Intel-ic12-winx64-revC.20111012.xml>

<http://www.spec.org/cpu2006/flags/Intel-Windows-Platform-Settings-revC.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.1.  
Report generated on Thu Jul 24 01:50:43 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 25 October 2011.