



# SPEC® OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

**Hewlett Packard Enterprise**

(Test Sponsor: Indiana University)

Apollo 70  
(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG\_peak2012 = Not Run

SPECompG\_base2012 = 6.60

OMP2012 license:3440A


Test sponsor: Indiana University

Tested by: Indiana University

Test date: Aug-2019

Hardware Availability: Jun-2019

Software Availability: May-2019



## Hardware

CPU Name: Cavium ThunderX2 CN9980 v2.1  
 CPU Characteristics: 4-way SMT on, Turbo on  
 CPU MHz: 2200  
 CPU MHz Maximum: 2500  
 FPU: Integrated  
 CPU(s) enabled: 64 cores, 2 chips, 32 cores/chip, 4 threads/core  
 CPU(s) orderable: 1-2 chips  
 Primary Cache: 32 KB I + 32 KB D on chip per core  
 Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 32 MB I+D on chip per core  
 Other Cache: None  
 Memory: 128 GB (8 x 16 GB 2Rx8 PC4-2666V-RE2-12 )  
 Disk Subsystem: 1x(HPE VK000960GWSRT 960GB) SSD  
 Other Hardware: None  
 Base Threads Run: 256  
 Minimum Peak Threads: --

Continued on next page

## Software

Operating System: CentOS Linux release 7.6.1810 (AltArch)  
 4.14.0-115.8.1.el7a.aarch64  
 Compiler: C/C++/Fortran: Version 9.1.0 of gcc  
 Auto Parallel: No  
 File System: XFS  
 System State: Run level 3 (multi-user)  
 Base Pointers: 64-bit  
 Peak Pointers: Not Applicable  
 Other Software: None



# SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

Hewlett Packard Enterprise

(Test Sponsor: Indiana University)

Apollo 70  
(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

SPECompG\_peak2012 = Not Run

SPECompG\_base2012 = 6.60

OMP2012 license:3440A

Test sponsor: Indiana University

Tested by: Indiana University

Test date: Aug-2019

Hardware Availability: Jun-2019

Software Availability: May-2019

Maximum Peak Threads: --

## Results Table

Benchmark	Base							Peak						
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
350.md	256	758	6.11	<b>753</b>	<b>6.15</b>	748	6.19							
351.bwaves	256	593	7.64	<b>538</b>	<b>8.42</b>	527	8.60							
352.nab	256	<b>320</b>	<b>12.2</b>	320	12.2	320	12.2							
357.bt331	256	<b>702</b>	<b>6.75</b>	661	7.17	709	6.69							
358.botsalgn	256	330	13.2	330	13.2	<b>330</b>	<b>13.2</b>							
359.botsspar	256	<b>663</b>	<b>7.92</b>	661	7.95	664	7.90							
360.ilbdc	256	97359	0.0366	<b>96713</b>	<b>0.0368</b>	95996	0.0371							
362.fma3d	256	482	7.88	<b>483</b>	<b>7.86</b>	562	6.76							
363.swim	256	714	6.34	<b>708</b>	<b>6.40</b>	684	6.62							
367.imagick	256	<b>733</b>	<b>9.59</b>	679	10.4	748	9.40							
370.mgrid331	256	745	5.93	<b>769</b>	<b>5.75</b>	772	5.72							
371.applu331	256	390	15.5	408	14.9	<b>395</b>	<b>15.4</b>							
372.smithwa	256	339	15.8	<b>336</b>	<b>16.0</b>	322	16.6							
376.kdtree	256	144	31.2	167	26.9	<b>167</b>	<b>27.0</b>							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Platform Notes

Sysinfo program /home/lijunj/spec/omp2012-1.1/Docs/sysinfo  
Revision 563 of 2016-06-10 (097295389cf6073d8c3b03fa376740a5)  
running on armstrong.sca.iu.edu Mon Aug 5 11:59:17 2019

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/omp2012/Docs/config.html#sysinfo>

From /proc/cpuinfo

```

*
* Did not identify cpu model. If you would
* like to write your own sysinfo program, see
* www.spec.org/omp2012/config.html#sysinfo
*
*
* 0 "physical id" tags found. Perhaps this is an older system,
* or a virtualized system. Not attempting to guess how to
* count chips/cores for this system.
*

```

256 "processors"  
cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

Continued on next page



# SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

**Hewlett Packard Enterprise**

(Test Sponsor: Indiana University)

**Apollo 70**

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

**SPECompG\_peak2012 = Not Run**

**SPECompG\_base2012 = 6.60**

**OMP2012 license:**3440A

**Test sponsor:** Indiana University

**Tested by:** Indiana University

**Test date:** Aug-2019

**Hardware Availability:** Jun-2019

**Software Availability:** May-2019

## Platform Notes (Continued)

From /proc/meminfo

MemTotal: 133322880 kB

HugePages\_Total: 0

Hugepagesize: 524288 kB

From /etc/\*release\* /etc/\*version\*

centos-release: CentOS Linux release 7.6.1810 (AltArch)

centos-release-upstream: Derived from Red Hat Enterprise Linux 7.6 (Source)

os-release:

NAME="CentOS Linux"

VERSION="7 (AltArch)"

ID="centos"

ID\_LIKE="rhel fedora"

VERSION\_ID="7"

PRETTY\_NAME="CentOS Linux 7 (AltArch)"

ANSI\_COLOR="0;31"

CPE\_NAME="cpe:/o:centos:centos:7"

redhat-release: CentOS Linux release 7.6.1810 (AltArch)

system-release: CentOS Linux release 7.6.1810 (AltArch)

system-release-cpe: cpe:/o:centos:centos:7

uname -a:

Linux armstrong.sca.iu.edu 4.14.0-115.8.1.el7a.aarch64 #1 SMP Wed Jun 5

15:01:21 UTC 2019 aarch64 aarch64 aarch64 GNU/Linux

run-level 3 Jul 2 15:36

SPEC is set to: /home/lijunj/spec/omp2012-1.1

Filesystem Type Size Used Avail Use% Mounted on

/dev/mapper/centos-root xfs 256G 86G 171G 34% /

Additional information from dmidecode:

Warning: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

## General Notes

Environment Variables:

OMP\_STACKSIZE=2G

ulimit -s unlimited

BIOS Info:

Version: L50\_5.13\_1.0.6

Release Date: 07/10/2018

Continued on next page

Standard Performance Evaluation Corporation

info@spec.org

http://www.spec.org/



# SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

**Hewlett Packard Enterprise**

(Test Sponsor: Indiana University)

**Apollo 70**

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

**SPECompG\_peak2012 = Not Run**

**SPECompG\_base2012 = 6.60**

**OMP2012 license:**3440A

**Test sponsor:** Indiana University

**Tested by:** Indiana University

**Test date:** Aug-2019

**Hardware Availability:** Jun-2019

**Software Availability:** May-2019

## General Notes (Continued)

BIOS Settings:

Turbo/CPPC Mode: Autonomous Turbo

Spectre & Meltdown:

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5754 (Meltdown) is mitigated in the system as tested and documented.

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5753 (Spectre variant 1) is mitigated in the system as tested and documented.

Yes: The test sponsor attests, as of date of publication, that CVE-2017-5715 (Spectre variant 2) is mitigated in the system as tested and documented.

## Base Compiler Invocation

C benchmarks:

gcc

C++ benchmarks:

g++

Fortran benchmarks:

gfortran

## Base Portability Flags

350.md: -ffree-form -fno-range-check  
363.swim: -mmodel=large  
367.imagick: -std=c99

## Base Optimization Flags

C benchmarks:

-O3 -ffast-math -mcpu=native -fopenmp -fsigned-char

C++ benchmarks:

-O3 -ffast-math -mcpu=native -fopenmp

Fortran benchmarks:

-O3 -ffast-math -mcpu=native -fopenmp

The flags files that were used to format this result can be browsed at

[http://www.spec.org/omp2012/flags/hpe\\_apollo70\\_bios.html](http://www.spec.org/omp2012/flags/hpe_apollo70_bios.html)

<http://www.spec.org/omp2012/flags/gcc-linux64.20190904.html>



# SPEC OMPG2012 Result

Copyright 2012-2019 Standard Performance Evaluation Corporation

**Hewlett Packard Enterprise**

(Test Sponsor: Indiana University)

**Apollo 70**

(Marvell ThunderX2 CN9980 v2.1, 2.20GHz)

**SPECompG\_peak2012 = Not Run**

**SPECompG\_base2012 = 6.60**

**OMP2012 license:**3440A

**Test sponsor:** Indiana University

**Tested by:** Indiana University

**Test date:** Aug-2019

**Hardware Availability:** Jun-2019

**Software Availability:** May-2019

You can also download the XML flags sources by saving the following links:

[http://www.spec.org/omp2012/flags/hpe\\_apollo70\\_bios.xml](http://www.spec.org/omp2012/flags/hpe_apollo70_bios.xml)

<http://www.spec.org/omp2012/flags/gcc-linux64.20190904.xml>

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC OMP2012 v1.1.  
Report generated on Wed Sep 4 19:07:03 2019 by SPEC OMP2012 PS/PDF formatter v541.  
Originally published on 4 September 2019.