



# SPEC ACCEL™ ACC Result

Copyright 2015-2018 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel\_acc\_peak = Not Run

SPECaccel\_acc\_base = 1.78

ACCEL license: 3440A


Test sponsor: Indiana University

Tested by: Indiana University

Test date: May-2018

Hardware Availability: Apr-2013

Software Availability: Feb-2018



## Hardware

CPU Name: AMD Opteron 6276  
CPU Characteristics: AMD Turbo CORE Technology up to 3.2GHz, Turbo CORE off  
CPU MHz: 2300  
CPU MHz Maximum: 3200  
FPU: Integrated  
CPU(s) enabled: 16 cores, 1 chip, 16 cores/chip  
CPU(s) orderable: 1 chip  
Primary Cache: 32 KB I + 16 KB D on chip per core  
Secondary Cache: 16 MB I+D on chip per chip, 2 MB shared / 2 cores  
L3 Cache: 16 MB I+D on chip per chip, 8 MB shared / 8 cores

Continued on next page

## Accelerator

Accel Model Name: Tesla K20  
Accel Vendor: NVIDIA  
Accel Name: NVIDIA Tesla K20  
Type of Accel: GPU  
Accel Connection: PCIe 2.0 16x  
Does Accel Use ECC: yes  
Accel Description: NVIDIA Tesla K20m GPU, 2496 CUDA cores, 706 MHz, 5 GB GDDR5 RAM  
Accel Driver: NVIDIA UNIX x86\_64 Kernel Module 352.68



# SPEC ACCEL ACC Result

Copyright 2015-2018 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

SPECaccel\_acc\_peak = Not Run

SPECaccel\_acc\_base = 1.78

ACCEL license: 3440A

Test sponsor: Indiana University

Tested by: Indiana University

Test date: May-2018

Hardware Availability: Apr-2013

Software Availability: Feb-2018

## Hardware (Continued)

Other Cache: None  
 Memory: 32 GB (4 x 8 GB 2Rx4 PC3L-12800R-11, ECC)  
 Disk Subsystem: None  
 Other Hardware: None

## Software

Operating System: SUSE Linux Enterprise Server 11 (x86\_64), Cray 3.0.101-0.46.1\_1.0502.8871-cray\_gem\_c  
 Compiler: PGI Accelerator Fortran/C/C++ Server, Release 15.3  
 File System: lustre  
 NFSv3 (DDN SFA12KE) over 10GB Ethernet  
 System State: Run level 3 (multi-user)  
 Other Software: NVIDIA CUDA 6.5.14

## Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
303.ostencil	75.6	1.92	<b><u>75.9</u></b>	<b><u>1.91</u></b>	75.9	1.91						
304.olbm	292	1.56	<b><u>292</u></b>	<b><u>1.56</u></b>	292	1.56						
314.omriq	514	1.86	<b><u>515</u></b>	<b><u>1.86</u></b>	515	1.86						
350.md	163	1.55	163	1.55	<b><u>163</u></b>	<b><u>1.55</u></b>						
351.palm	389	0.951	<b><u>389</u></b>	<b><u>0.950</u></b>	389	0.950						
352.ep	<b><u>425</u></b>	<b><u>1.25</u></b>	424	1.25	425	1.25						
353.clvrleaf	218	2.04	<b><u>218</u></b>	<b><u>2.04</u></b>	218	2.04						
354.cg	222	1.84	222	1.84	<b><u>222</u></b>	<b><u>1.84</u></b>						
355.seismic	190	1.94	190	1.94	<b><u>190</u></b>	<b><u>1.94</u></b>						
356.sp	169	1.64	169	1.64	<b><u>169</u></b>	<b><u>1.64</u></b>						
357.csp	177	1.52	178	1.52	<b><u>178</u></b>	<b><u>1.52</u></b>						
359.miniGhost	188	1.96	<b><u>187</u></b>	<b><u>1.97</u></b>	187	1.97						
360.ilbdc	<b><u>148</u></b>	<b><u>2.48</u></b>	148	2.48	148	2.48						
363.swim	122	1.89	122	1.89	<b><u>122</u></b>	<b><u>1.89</u></b>						
370.bt	64.3	3.47	<b><u>64.3</u></b>	<b><u>3.47</u></b>	64.3	3.47						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Platform Notes

```
Sysinfo program
/N/dc2/projects/hpc/lijunj/SPEC/accel-1.2-run/br2/cuda65/Docs/sysinfo
$Rev: 6965 $ $Date::: 2015-04-21 #$
running on nid00692 Wed May 2 10:43:38 2018
```

Continued on next page



# SPEC ACCEL ACC Result

Copyright 2015-2018 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

ACCEL license: 3440A

Test sponsor: Indiana University

Tested by: Indiana University

SPECaccel\_acc\_peak = Not Run

SPECaccel\_acc\_base = 1.78

Test date: May-2018

Hardware Availability: Apr-2013

Software Availability: Feb-2018

## Platform Notes (Continued)

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/accel/Docs/config.html#sysinfo>

```
From /proc/cpuinfo
    model name : AMD Opteron(TM) Processor 6276
        1 "physical id"s (chips)
        16 "processors"
    cores, siblings (Caution: counting these is hw and system dependent. The
    following excerpts from /proc/cpuinfo might not be reliable. Use with
    caution.)
        cpu cores : 8
        siblings : 16
        physical 0: cores 0 1 2 3 4 5 6 7
    cache size : 2048 KB
```

```
From /proc/meminfo
    MemTotal:      33083668 kB
    HugePages_Total:       0
    Hugepagesize:     2048 kB
```

```
/usr/bin/lsb_release -d
SUSE Linux Enterprise Server 11 (x86_64)
```

```
From /etc/*release* /etc/*version*
SuSE-release:
    SUSE Linux Enterprise Server 11 (x86_64)
VERSION = 11
PATCHLEVEL = 3
```

```
uname -a:
Linux nid00692 3.0.101-0.46.1_1.0502.8871-crav_gem_c #1 SMP Mon Feb 12
13:56:55 UTC 2018 x86_64 x86_64 x86_64 GNU/Linux
```

```
SPEC is set to: /N/dc2/projects/hpc/lijunj/SPEC/accel-1.2-run/br2/cuda65
Filesystem          Type  Size  Used Avail Use% Mounted
on
10.10.0.171@o2ib:10.10.0.172@o2ib:/dc2 lustre  5.3P  4.4P  787T  86% /N/dc2
```

```
Cannot run dmidecode; consider saying 'chmod +s /usr/sbin/dmidecode'
```

```
(End of data from sysinfo program)
(End of data from sysinfo program)
```



# SPEC ACCEL ACC Result

Copyright 2015-2018 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

ACCEL license: 3440A

Test sponsor: Indiana University

Tested by: Indiana University

SPECaccel\_acc\_peak = Not Run

SPECaccel\_acc\_base = 1.78

Test date: May-2018

Hardware Availability: Apr-2013

Software Availability: Feb-2018

## General Notes

No: The test sponsor attests, as of date of publication, that CVE-2017-5754 (Meltdown) is mitigated in the system as tested and documented.

No: The test sponsor attests, as of date of publication, that CVE-2017-5753 (Spectre variant 1) is mitigated in the system as tested and documented.

No: The test sponsor attests, as of date of publication, that CVE-2017-5715 (Spectre variant 2) is mitigated in the system as tested and documented.

This benchmark result is intended to provide perspective on past performance using the historical hardware and/or software described on this result page.

The system as described on this result page was formerly generally available. At the time of this publication, it may not be shipping, and/or may not be supported, and/or may fail to meet other tests of General Availability described in the SPEC HPG Policy document, <http://www.spec.org/hpg/policy.html>

This measured result may not be representative of the result that would be measured were this benchmark run with hardware and software available as of the publication date.

## Base Compiler Invocation

C benchmarks:  
  pgcc

Fortran benchmarks:  
  pgfortran

Benchmarks using both Fortran and C:  
  pgcc pgfortran

## Base Optimization Flags

C benchmarks:  
  -fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda6.5

Fortran benchmarks:  
  -fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda6.5

Continued on next page



# SPEC ACCEL ACC Result

Copyright 2015-2018 Standard Performance Evaluation Corporation

Cray

(Test Sponsor: Indiana University)

NVIDIA Tesla K20

Cray XK7

ACCEL license: 3440A

Test sponsor: Indiana University

Tested by: Indiana University

SPECaccel\_acc\_peak = Not Run

SPECaccel\_acc\_base = 1.78

Test date: May-2018

Hardware Availability: Apr-2013

Software Availability: Feb-2018

## Base Optimization Flags (Continued)

Benchmarks using both Fortran and C:

353.clvrleaf: -fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda6.5

359.miniGhost: -fast -Mfprelaxed -acc -ta=tesla:cc35 -ta=tesla:cuda6.5  
-Mnomain

The flags file that was used to format this result can be browsed at

[https://www.spec.org/accel/flags/pgi\\_flags.html](https://www.spec.org/accel/flags/pgi_flags.html)

You can also download the XML flags source by saving the following link:

[https://www.spec.org/accel/flags/pgi\\_flags.xml](https://www.spec.org/accel/flags/pgi_flags.xml)

SPEC ACCEL is a trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC ACCEL v1.2.

Report generated on Wed Jun 20 16:02:00 2018 by SPEC ACCEL PS/PDF formatter v1290.

Originally published on 20 June 2018.